



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Ceramic chain oil
Art-Nr 15391
Unique Formula Identifier UFI: ADMC-410X-2007-T8C7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

corrosion prevention
Lubricant
Weapon care

1.3 Details of the supplier of the safety data sheet

Supplier

Ballistol GmbH
Hauptstraße 20
DE-84168 Aham
Telephone 0874496990
Telefax 0874496996
E-mail info@ballistol.de
Website www.ballistol.de

Manufacturer

F.W.Klever
Hauptstraße 20
D-84168 Aham
Telephone +49 (0) 8744 96 99 10
Telefax + 49 (0) 8744 96 99 96
E-mail info@ballistol.de
Website www.ballistol.de

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No data available

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P501 Dispose of contents/container to recycling

2.3 Other hazards

No data available



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients

CAS No	EC No	Index No	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
8008-20-6	232-366-4	649-404-00-4	Kerosine (petroleum)	5 - 10 weight-%	Asp. Tox. 1; H304	
			Korrosionsschutzmittel	5 - 10 weight-%	Skin Irrit. 2; H315 Eye Irrit. 2; H319	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.
In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

Do NOT induce vomiting.
Medical treatment necessary.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder
Carbon dioxide (CO₂)
Water spray jet



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In the event of fire the following can be released:
Nitrogen oxides (NO_x)
Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.
Wear full chemical protective clothing.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Remove all sources of ignition.
Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

6.4 Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Use only in well-ventilated areas.
Keep away from sources of ignition - No smoking.
Avoid:
Eye contact
Skin contact



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.
Storing of food in workroom forbidden.
Wash hands before breaks and after work.
Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Materials to avoid

Do not store together with:
Oxidising agent

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No	EC No	Substance name	occupational exposure limit value
8008-20-6	232-366-4	Kerosene	100 [mg/m ³] (IE)

8.2 Exposure controls

Personal protection equipment

Eye/face protection

tightly fitting goggles

Hand protection

Nitrile gloves ≥ 0.4 mm, breakthrough time ≥ 480 minutes in accordance with EN ISO 374

Respiratory protection

Respiratory protection necessary at:
aerosol or mist formation

Environmental exposure controls

Technical measures to prevent exposure

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

oily

Colour

dunkelbraun, trüb



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

Odour

like:
Mineral oil

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range			
flammability	not determined		
Lower and upper explosion limit	not determined		
Flash point	not determined		
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
pH	not determined		
Viscosity	kinematic > 20 mm ² /s (40°C)		
Solubility(ies)	Water solubility		Immiscible
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	approx. 0.9 g/cm ³ (20°C) pressure 1013 mbar		
Relative vapour density	not determined		
particle characteristics	not determined		

9.2 Other information

Other safety characteristics

	Value	Method	Source, Remark
refraction index	1.48 (20°C)		

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Oxidising agent, strong



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

10.6 Hazardous decomposition products

Carbon monoxide
Carbon dioxide

Additional information

Product is stable under normal storage conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	> 2000 mg/kg Species Rat		
Acute dermal toxicity	> 5000 mg/kg Species Rabbit		
Acute inhalation toxicity	not determined		

Skin corrosion/irritation

Animal data

Result / Evaluation	Method	Source, Remark
slightly irritant but not relevant for classification.		

Serious eye damage/irritation

Animal data

Result / Evaluation	Method	Source, Remark
slightly irritant		

Sensitisation to the respiratory tract

not determined

Skin sensitisation

Animal data

Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			

Germ cell mutagenicity

not determined

Carcinogenicity

not determined

Reproductive toxicity

not determined

STOT-single exposure

not determined

STOT-repeated exposure

not determined



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

Aspiration hazard

not determined

11.2 Information on other hazards

Other information

When properly used the product according to our experience and the information available to us caused no harmful effects.

The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	not determined		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	not determined		
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.

The breakdown properties of the product have not been tested. The information on these is given on the basis of details in the literature.



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
160708 *	wastes containing oil

Appropriate disposal / Package

Non-contaminated packages may be recycled.
Recycle sales packaging via DSD (Duales System Deutschland).

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	-	-	-
14.6 Special precautions for user	No data available		
14.7 Maritime transport in bulk according to IMO instruments	No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations (EU)

To follow:

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2 Chemical Safety Assessment

National regulations

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Additional information

National and local regulations concerning chemicals shall be observed.
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Ceramic chain oil

Print date 17.03.2026
Revision date 03.03.2026
Version 4.0 (en)
replaces version of 03.03.2026 (3.0)

Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.