


ROSE








ANY QUESTIONS?
rosebikes.de/support

S N E A K

Rose Bikes GmbH
Schersweide 4
46395 Bocholt, Germany

FRAME DETAILS


S N E A K FRAME DETAILS



POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame	color: chalk	2319323
		color: faded denim	2319322
1B	frame mid step	color: chalk	2319325
		color: light mint	2319324
2	fork	color: chalk	2324063
		color: faded denim	2319326
		color: light mint	2319327
3	derailleur hanger	standard	2330498
		direct mount	2297412
4	kick stand cover		2330527
5	front brake mount cover	color: chalk	2331997
		color: faded denim	2331990
		color: light mint	2331998
	kick stand screws	2x M6x20 mm	

SNEAK

FRAME DETAILS



FRAME GEOMETRY

		S	M	L	XL
SEATTUBE LENGTH [MM]	A	468	519	569	620
TOPTUBE LENGTH HORIZONTAL [MM]	B	575	590	603	615
HEAD TUBE LENGTH [MM]	C	135	155	175	202
HEAD TUBE ANGLE	D	70,5°	71°	71,5°	72°
SEAT TUBE ANGLE	E	72,5°	72,5°	72,5°	72,5°
BB DROP [MM]	F	60	60	60	60
REAR CENTER [MM] (CHAINSTAY LENGTH)	G	445	445	445	445
WHEELBASE [MM]	H	1065,9	1076,6	1084,9	1091,8
REACH [MM]	J	401	410	416	419
STACK [MM]	K	551	571	592	620
STANDOVER HEIGHT [MM]	M	780	815	855	895
STACK TO REACH RATIO	O	1,37	1,39	1,42	1,48
FORK LENGTH [MM]	U	404,2	404,2	404,2	404,2
FORK OFFSET [MM]	P	47	47	47	47

FRAME INTERFACES

REAR WHEEL AXLE	12x142 mm: ROSE Art. Nr.: 233040501
REAR BRAKE MOUNT	Flatmount 160 mm
MAX Ø DISC	160 mm only!
Ø SEATPOST	30.9 mm
MAX. TIRE SIZE	700Cx47, with mud guards 700Cx42
MAX. CHAINRING SIZE	1x 46T
FRONT DERAILLEUR MOUNT	no
BOTTLE CAGE	yes, 2x
REAR RACK MOUNT	no
KICK STAND MOUNT	KSA18, for example 1595060001

FORK INTERFACES

FRONT WHEEL AXLE	12 x 100 mm: ROSE Art. Nr.: 227585701
FRONT BRAKE MOUNT	Flatmount 160 mm - 180 mm
MAX Ø DISC	180 mm
MAX. TIRE SIZE	700Cx47, with mud guards 700Cx42
LOWRIDER MOUNT	not compatible
BOTTLE CAGE	yes, 2x

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 130 KG
INTENDED USE: DIN 17406 CATEGORY 2